


# 394

16.07.2014


:  
: 2

: REHAU  
: Maco 20 %  
: 13,212  
21804  
4361  
1718  
19161



: 1 1700 x 2556 - 1  
: Euro 70  
: 4 -14ar-4-14ar-4 ;  
: 4,345  
: 7452  
: 20 % 1490  
: 5962  
: 565  
: 6527


	-
FBA 30	1,67
M.	1
aNT Hoppe- "Compact"	1
	0,978
45	1
80, RAL I=2.0 m, /	1,8
80, RAL I=2.0 m, /	2,8
80, RAL I=2.0 m, /	2,8
120, RAL I=2.0 m, /	1,8
. 60/70, /	1,7
. 60/70, /	1,7
90 . ED70,	2,676
6.5, /	20,308
- Maco,	1



: 2 499 x 2556 - 1  
: Euro 70  
: 4 -14ar-4-14ar-4 ;  
: 1,275  
: 4019  
: 20 % 804  
: 3215  
: 166  
: 3381


	-
FBA 30	0,469
M.	1
aNT Hoppe- "Compact"	1
	0,427
45	1
80, RAL I=2.0 m, /	0,599
120, RAL I=2.0 m, /	0,599
. 60/70, /	0,499
. 60/70, /	0,499
. 60/70, /	2,676
90 . ED70,	2,676

6.5	,	,	/	6,088
- Maco,	.			1




: 3 990 x 2556 - 1  
 :Euro 70  
 4 -14ar-4-14ar-4 ;  
 : 2,53  
 : 3866  
 : 20 % 773  
 : 3093  
 : 329  
 : 3422

	-	
FBA	30	0,96
M.		1
aNT Hoppe-	"Compact"	1
	,	0,918
	45	1
	80 , RAL I=2.0 m , /	1,09
	120 , RAL I=2.0 m , /	1,09
	. 2 " "	2,556
	. 2 " "	2,556
	. 60/70,	0,99
	6.5	8,052
- Maco,	.	1



: 6 1000 x 2556 - 1  
 :Euro 70  
 4 -14ar-4-14ar-4 ;  
 : 2,556  
 : 2825  
 : 20 % 565  
 : 2260  
 : 332  
 : 2592

	-	
FBA	30	0,97
	80 , RAL I=2.0 m , /	1,1
	120 , RAL I=2.0 m , /	1,1
	. 2 " "	2,556
	. 2 " "	2,556
	. 60/70,	1
	6.5	8,508



: 7 980 x 2556 - 1  
 :Euro 70  
 4 -14ar-4-14ar-4 ;  
 : 2,505  
 : 3641  
 : 20 % 728  
 : 2913  
 : 326  
 : 3239

	-	
FBA	30	0,95
M.		1
aNT Hoppe-	"Compact"	1
	,	0,908
	45	1

80 , RAL I=2.0 m , / .	1,08
120 , RAL I=2.0 m , / .	1,08
. 60/70, . , /	0,98
6.5 , , /	8,012
- Maco, .	1