


394

16.07.2014


:
: 2

: REHAU		23509
: Maco	20 %	4702
: : 13,212		1718
		20524



: 1 1700 x 2556 - 1
: Euro 70
: 4Solar-16ar-4-12ar-4 ;
: 4,345
: 8030
: 20 % 1606
: 6424
: 565
: 6989


	-
FBA 30	1,67
M.	1
aNT Hoppe- "Compact"	1
	0,978
45	1
80, RAL I=2.0 m, /	1,8
80, RAL I=2.0 m, /	2,8
80, RAL I=2.0 m, /	2,8
120, RAL I=2.0 m, /	1,8
. 60/70, /	1,7
. 60/70, /	1,7
90 . ED70,	2,676
6.5, /	20,308
- Maco,	1



: 2 499 x 2556 - 1
: Euro 70
: 4Solar-16ar-4-12ar-4 ;
: 1,275
: 4151
: 20 % 830
: 3321
: 166
: 3487


	-
FBA 30	0,469
M.	1
aNT Hoppe- "Compact"	1
	0,427
45	1
80, RAL I=2.0 m, /	0,599
120, RAL I=2.0 m, /	0,599
. 60/70, /	0,499
. 60/70, /	0,499
. 60/70, /	2,676
90 . ED70,	2,676

6.5	, , /	6,088
- Maco,	.	1




:	:	3 990 x 2556 - 1
:	:	:Euro 70
:	:	4Solar-16ar-4-12ar-4 ;
:	:	2,53
:	:	4186
:	:	20 % 837
:	:	3348
:	:	329
:	:	3677

	-	
FBA	30 ,	0,96
M.	, .	1
aNT Hoppe-	"Compact"	1
	, , / .	0,918
	45 . , .	1
	80 , RAL I=2.0 m , / .	1,09
	120 , RAL I=2.0 m , / .	1,09
	. 2 " "	2,556
	. 2 " "	2,556
	. 60/70, . , /	0,99
	6.5 , , /	8,052
- Maco,	.	1



:	:	6 1000 x 2556 - 1
:	:	:Euro 70
:	:	4Solar-16ar-4-12ar-4 ;
:	:	2,556
:	:	3185
:	:	20 % 637
:	:	2548
:	:	332
:	:	2880

	-	
FBA	30 ,	0,97
	80 , RAL I=2.0 m , / .	1,1
	120 , RAL I=2.0 m , / .	1,1
	. 2 " "	2,556
	. 2 " "	2,556
	. 60/70, . , /	1
	6.5 , , /	8,508



:	:	7 980 x 2556 - 1
:	:	:Euro 70
:	:	4Solar-16ar-4-12ar-4 ;
:	:	2,505
:	:	3957
:	:	20 % 791
:	:	3165
:	:	326
:	:	3491

	-	
FBA	30 ,	0,95
M.	, .	1
aNT Hoppe-	"Compact"	1
	, , / .	0,908
	45 . , .	1

80 , RAL I=2.0 m , / .	1,08
120 , RAL I=2.0 m , / .	1,08
. 60/70, . , /	0,98
6.5 , , /	8,012
- Maco, .	1